



We Believe in Quality

30 x 60 CM



CONTACT DETAILS

Export Inquiries : export@skytherceramic.com

Sales Info : info@skytherceramic.com

Address : S-36, Siromani Bussiness Center, Near Vardhman Hotel, Behind Real Plaza 1, Morbi - 363642, Gujarat, INDIA.

Phone : +91 98983 03098 / +91 99746 23709




awesome
Creating

DIGITAL WALL TILES
COLLECTION

600x300mm





about us...

Welcome to the world of future. Thanks to the principle of perfectionism which now meet the next gen technology to provide you with an exclusive range of tiling solution for your wall tiles and floor. Pre-loaded with best-in-class design features, the digital range offers virtually realistic textures, simple fantastic colours and highly aesthetic styles.

thanks to continuous research and innovation at we are ready to meet your expectations of lifestyle of top notch. Through the pages of this catalogue, you will discover an array of reasons to gratify your senses. Just unleash your imagination and create your own signature space in the world with our unique STILE STATEMENTS. Encounter the future, now....



600x300mm

DIGITAL
WALL TILES



600x300mm

DIGITAL
WALL TILES

GLOSSY



55001 LT



55002 LT



55003 LT



55005 LT



55001 HL



55002 HL



55003 HL



55005 LT



55001 HL



55002 HL



55003 HL



55005 DK



55001 DK



55002 D



55003 DK



55005 DK



55001 FL



55002 FL



55003 FL



55005 FL



► PREVIEW SHOWN : 55011 LT, 55011 HL - R C1, 55011 HL - R C2, 55011 DK, 55011 FL

600x300mm

DIGITAL
WALL TILES

GLOSSY



55006 LT



55008 LT



55009 LT



55014 LT



55006 HL - R



55008 HL



55009 HL - RND



55014 HL



55006 HL - R



55008 HL - A



55009 HL - RND



55014 HL



55006 HL - R



55008 DK



55009 HL - RND



55014 DK



55006 HL - R



55008 FL



55009 HL - RND



55014 FL



► PREVIEW SHOWN : 55020 LT, 55020 HL - RND, 55020 HL - RND, 55020 DK,

600x300mm

DIGITAL
WALL TILES

GLOSSY




55012 LT



55017 LT



55019 LT



55019 LT



55012 HL



55017 HL



55019 HL - A



55019 HL - P1



55012 HL



55017 HL



55019 HL - B



55019 HL - P2



55012 DK



55017 DK



55019 DK



55019 DK



55012 FL



55017 FL



55019 FL



55019 FL



► PREVIEW SHOWN : 55026 LT, 55026 HL, 55026 FL

600x300mm

DIGITAL
WALL TILES

GLOSSY



55022 LT



55028 LT



55031 LT



55051 LT



55022 HL



55028 HL



55031 HL



55051 HL



55022 HL



55028 HL - A



55031 HL - A



55051 HL - A



55022 LT



55028 DK



55031 DK



55051 DK



55022 FL



55028 FL



55031 FL



55051 FL



► PREVIEW SHOWN : 55059 LT, 55059 HL - A, 55059 HL - B, 55059 DK, 55059 FL

600x300mm

DIGITAL
WALL TILES

GLOSSY



55058 LT



55060 LT



55062 LT



55073 LT



55058 HL



55060 HL



55062 HL



55073 HL - A



55058 HL



55060 HL



55062 HL



55073 HL - A



55058 DK



55060 DK



55062 DK



55073 DK



55058 FL



55060 FL



55062 FL



55073 FL

GLOSSY



55072 LT



55072 HL




55072 HL



55072 DK



55072 FL



600x300mm

DIGITAL
WALL TILES

GLOSSY



55074 LT



55075 LT



55076 LT



55078 LT



55074 HL



55075 HL



55076 HL



55078 HL - A



55074 HL - A



55075 HL - A



55076 HL



55078 HL - J



55074 DK



55075 DK



55076 DK



55078 DK



55074 FL



55075 FL



55076 FL



55078 FL

GLOSSY



55080 LT



55080 HL



55080 HL - A



55080 DK



55080 FL




600x300mm

DIGITAL
WALL TILES


GLOSSY



55081 LT



55082 LT



55082 LT



55083 LT



55081 HL



55082 HL - C



55082 HL



55083 HL



55081 HL - A



55082 HL - C



55082 HL - A



55083 HL - A



55081 DK



55082 DK - 2



55082 DK - 1



55083 DK



55081 FL



55082 FL - 2



55082 FL - 1



55083 FL

GLOSSY



55085 LT



55085 LT



55085 HL



55085 HL - C



55085 HL - A



55085 HL - B



55085 DK



55085 DK



55085 FL



55085 FL



600x300mm

DIGITAL
WALL TILES

GLOSSY



55086 LT



55089 LT



55091 LT



55088 LT



55086 HL



55089 HL



55091 HL



55088 HL



55086 HL - A



55089 HL - A



55091 HL



55088 HL - A



55086 DK



55089 DK



55091 DK



55088 DK



55086 FL



55089 FL



55091 FL



55088 FL



► PREVIEW SHOWN : 55088 LT, 55088 HL, 55088 DK, 55088 FL

600x300mm

DIGITAL
WALL TILES

SAIN DROP



SD 001 HL - A1



SD 002 LT



SD 003 LT



SD 004 LT



SD 001 HL - A2



SD 002 HL



SD 003 HL



SD 004 HL



SD 001 HL - A1



SD 002 HL - A1



SD 003 HL - A



SD 004 HL



SD 001 HL - A2




SD 002 HL - A2



SD 003 DK



SD 004 DK



SD 001 LT



SD 002 DK



SD 003 FL



SD 004 FL



► PREVIEW SHOWN : SD 005 LT, SD 005 HL , SD 005 DK, SD 005 FL

600x300mm

DIGITAL
WALL TILES

SILKY MATT



22038 L




44001 LT



44004 LT



44007 LT



22038 HL



44001 HL



44004 HL



44007 HL - A



22038 HL - D



44001 HL



44004 HL - A



44007 HL - B



22038 DK




44001 DK



44004 DK



44007 HL



22038 FL



44001 FL



44004 FL



44007 DK



► PREVIEW SHOWN : 44007 LT, 44007 HL, 44007 DK

600x300mm

DIGITAL
WALL TILES

SILKY MATT



44016 LT



44020 LT



44032 LT




44039 LT



44016 HL



44020 HL



44032 HL



44039 HL - A1



44016 HL



44020 HL - A RND



44032 HL - A



44039 HL - A2



44016 DK



44020 DK



44032 DK



44039 HL - B1



44016 FL



44020 FL



44032 FL



44039 HL - B2

SILKY MATT



44040 LT



44040 HL




44040 HL - A



44040 HL - B




44040 DK




600x300mm

DIGITAL
WALL TILES


SILKY MATT



44041 LT



44042 LT



44043 LT



44044 LT



44041 LT



44042 DK - 1



44043 DK - 1



44044 HL



44041 DK



44042 LT



44043 DK - 2



44044 HL



44041 DK



44042 DK - 2



44043 DK - 3



44044 DK



44041 FL



44042 DK - 3



44043 DK - 4



44044 FL

SILKY MATT



44045 LT



44045 HL



44045 HL



44045 DK



44045 FL



600x300mm

DIGITAL
WALL TILES

SILKY MATT



44047 LT



44050 LT



44052 LT



44058 LT



44047 HL - R1



44050 HL



44052 HL



44058 HL



44047 HL - R2



44050 HL



44052 HL



44058 HL



44047 HL - B



44050 DK



44052 DK



44058 DK



44047 DK



44050 FL



44052 FL



44058 FL

SILKY MATT



44062 LT



44062 HL




44062 HL



44062 HL



44062 LT




600x300mm

DIGITAL
WALL TILES

SILKY MATT



44061 LT



44063 LT



44065 LT



44069 LT



44061 HL



44063 HL



44065 HL



44069 HL



44061 HL



44063 HL - A



44065 HL



44069 HL - A



44061 HL



44063 DK



44065 HL - A



44069 DK



44061 LT



44063 FL



44065 HL - A



44069 FL

SILKY MATT



44070 L



44070 HL




44070 HL



44070 HL



44070 L



600x300mm

DIGITAL
WALL TILES

SILKY MATT



44071 LT



44072 LT



44075 LT



44076 LT



44071 HL



44072 HL



44075 HL



44076 HL



44071 HL



44072 HL - A



44075 HL



44076 HL



44071 DK



44072 DK



44075 DK



44076 DK



44071 FL



44072 FL



44075 FL



44076 FL

SILKY MATT



44077 LT



44077 HL



44077 HL - A



44077 DK



44077 FL



600x300mm

DIGITAL
WALL TILES

SILKY MATT



44078 LT



44079 LT



44080 LT



44081 LT



44078 HL



44079 HL



44080 HL



44081 HL



44078 HL




44079 HL



44080 HL - A



44081 HL - A



44078 HL - A



44079 HL - A



44080 DK



44081 HL - B



44078 LT



44079 LT




44080 FL



44081 D - 2

SILKY MATT



44081 LT



44081 HL - E



44081 D - 1



44081 HL - F



44081 D - 3



600x300mm

DIGITAL
WALL TILES

SILKY MATT



44082 LT



44083 LT



44084 LT



44085 LT



44082 HL



44083 HL



44084 HL



44085 HL



44082 HL



44083 HL



44084 HL



44085 HL



44082 DK



44083 DK



44084 HL



44085 HL - A



44082 FL



44083 FL



44084 LT



44085 HL - A



600x300mm

DIGITAL
WALL TILES

SILKY MATT



44086 LT



44087 LT



44089 LT



44090 LT



44086 HL



44087 HL



44089 HL - A



44090 HL



44086 HL



44087 HL



44089 HL - A



44090 HL - A



44086 DK



44087 DK



44089 DK



44090 DK



44086 FL



44087 FL



44089 FL



44090 FL


600x300mm

DIGITAL
WALL TILES


SILKY MATT



44088 LT



PLAIN WHITE



PLAIN WHITE



44092

RND



44088 HL



44091 HL - A1



44091 HL



44092

RND



44088 HL - B RND



44091 HL - A2



44091 HL



44092


RND



44088 HL - B RND



44091 HL - A1



44091 HL - B



44092

RND



44088 DK



44091 HL - A2



44091 HL - B



44092

RND




► PREVIEW SHOWN : 44088 LT, 44088 HL, 44088 DK, 44088 FL

600x300mm

DIGITAL
WALL TILES

SUGAR



SUGAR WHITE



HL - 1




HL - 2



HL - 3



HL - 10



SUGAR WHITE




HL - 18




HL - 19



HL - 20



SUGAR WHITE



SUGAR WHITE



HL - 16



HL - 17



SUG BLUE HL



SUG BLUE HL - A



SUGAR IVORY



HL - 6



HL - 8



HL - 9



SUGAR IVORY

SUGAR



SUG 44048 LT



SUG 44048 HL - A




SUG 44048 HL - A



SUG 44048 HL - A



SUG 44048 LT



600x300mm

DIGITAL
WALL TILES

SUGAR



SUGAR 003 LT



SUGAR 3D LT



SUGAR WS PLAIN



SUGAR 003 HL - A1



SUGAR 3D LT




SUGAR WS PLAIN



SUGAR 003 HL - A2



SUGAR 3D DK



SUGAR BS PLAIN



SUGAR 003 HL - A1



SUGAR 3D DK




SUGAR BS PLAIN



SUGAR 003 HL - A2



SUGAR 3D FL



SUGAR 3D FL




► PREVIEW SHOWN : SUGAR 003 LT, SUGAR 003 HL - A1, SUGAR 003 HL - A2


600x300mm

DIGITAL
WALL TILES

SUPER WHITE



66001 LT



66001 LT



66004 LT



66006 LT - R



66001 HL - A




66001 HL - RND



66004 HL



66006 HL - R RND



66001 HL - RND



66001 HL - RND




66004 HL - A



66006 HL - R RND



66001 HL - RND



66001 LT



66004 LT



66006 LT - R



► PREVIEW SHOWN : 66001 LT, 66001 HL - A


600x300mm

DIGITAL
WALL TILES


SUPER WHITE




66009 LT



66009 HL



66009 HL - A



66009 HL - B



66009 LT



66010 L



66010 HL - RND



66010 L



66010 HL - RND



66010 L



66010 L



66010 HL - RND



66010 HL - RND



66010 HL - RND



66010 L



66012 LT



66012 HL - RND



66012 LT



66012 HL - RND



66012 LT



► PREVIEW SHOWN : 66009 LT, 66009 HL - A

600x300mm

DIGITAL
WALL TILES

ELEVATION



77001



77003



77005



77007



77008



77010



77012



77013



77014



77016



77019



77020



77021



77022



77023



77024



77025



77026



77028



77032



77037



77040



LAYING INSTRUCTION




FIXING WALL TILES



WALL REQUIREMENT

The wall should be strong and flat, surface be smooth. The wall should be washed/primed. Wall should be clean and dry. If the tiling has to be done on plywood the surface of wall should sealed with 50% volume mixture of PVA and water.




WINDOW RECESS TILING AND CUTTING

Tile has to be cut in "L" shape for window recess. Cut a line from center to edge and then draw a right angle line vertical down. cut the line to get an "L" shape that can fit in a window.



TILES PREPARATION

Mix the tiles from different cartoon which will help in fine blending of shades.




ACCESSORY TILE FITTING

While laying the normal tiles, keep an empty space where a accessory tiles will be fit. Apply the adhesive on the back of accessory tiles and place it uniformly in the space and apply even pressure to place the accessory tile.



TILES LAYING

Firstly, apply the high quality ceramic adhesive on the wall and place first tile on the corner. Apply even pressure on the four corner of the tile to ensure sinking. Fill the area of wall that can be filled with the tile without cutting and leave it for at least 12 hours. Fill the rest of area with the measures and cut tiles.



TILES DRILLING

Apply masking tape to cover the area to be drilling. Mark the position of hole and drill the hole with lowest possible pressure on the drill.




TAMPING PROCESS

To ensure the proper contact of tiles with the wall, evenly tamp the tile with a rubber mallet tamp.




CORVE CUTTING

To fit the tiles in a curved surface of washbasin etc. measure and mark the curve in cardboard and place the cardboard on the to cut it.



APPLYING GROUT

on the next day, the grouting is done. Apply the grout diagonally between the tile using a sponge to fill the gaps between the tiles. Clean and wipe the surplus grout with a sponge.



HOLE CUTTING

To pass the pipe through the tile, the tiles to be cut in a specific manner. mark the position on the tile. which the tile. which the tile will occupy. Draw a straight line passing through the center of the circle, cut the tile on the drawn. Cut the semi circle on each of the half and when these two halves placed together will form a hole.

UTILITY OF WALL TILES



Multiplex



Hotel



School



Airport



Gymnasium



Super Market



Industry



Religion Place



Bank



Home



Hospital



Dance Hall

DIGITAL
WALL TILES

TECHNICAL SPECIFICATION



CHARACTERISTICS	EUROSTANDARDS EN-159/IS13753	LOVATO VALUE
DIMENSION & SURFACE QUALITY		
1. Dimension & Surface Quality	0.5%	0.4%
2. Deviation in Thickness	0.6mm	0.5mm
3. Straightness of Sides	0.3%	0.2%
4. Rectangularity	0.5%	0.3%
5. Surface Flatness	0.5%	0.5%
6. Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
1. Water Absorption	> 10%	12-15%
2. Bending Strength	> 150 Kg./Cm ² .	150-180 Kg/Cm ² .
3. Scratch Hardness (mohs scale)	Min 3	Min 3
4. crazing Resistance	1 Cycle	No Crazing Upto 4 cycles
5. Relevant Group	B III	B III
6. Type of Tiles	-	Dust Press Wall Tiles
CHEMICAL PROPERTIES		
1. Staining Resistance	Min Class 2	Resistant To all Acids and Alkalies & Household Chemicals, except Hydro Flouric Acid
2. Household Chemical	Min Class B	
THERMAL PROPERTIES		
1. Thermal Shock Resistance	Resistant 10 Cycles	CONFORMS
2. Thermal Expansion	Max. 9E-06	CONFORMS

Packing Details

Dimension in mm.	Thickness in mm.	Tiles per Box (Pcs.)	Area Coverage per box (Sq. Mtr.)	Area Weight per box (Kg.) Approx
600 x 300	8.50 (Approx.)	5	0.81	11.800
	8.50 (Approx.)	6	0.81	11.800
300 x 300	8.00 (Approx.)	9	0.81	11.000

NOTE: Certain amount of size and shade variation is inherent in all ceramic products. • Our conformity to the above standards is applicable only for Premium Quality. • Colours shown are as accurate as the limitations of the printing process will allow. • Prospective customers are advised to inspect a sample of the tile before ordering. • Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specification without prior notice. • Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggested to check the tiles before purchase and laying as the company does not accept responsibility once the tiles are laid.